

Bibliography (Peer Review Journals)

1. Yoshimachi F, Takagawa Y, Terai H, Takahashi A, Shimada Y, Katsuki T, Tohara S, Ueno H, Takada M, Shiode N, Yamada K, Kinoshita N, Honda T, Asano H, Takeshita S, Koiwa H, Shin T, Masutani M, Matsukage T, Saito S, **Ikari Y**. A Prospective Multicenter Study Using a Virtual 3 Fr Percutaneous Coronary Intervention System: The V3 Registry. *J Invasive Cardiol* 2017;29:16-23.
2. Torii S, Fujii T, Murakami T, Nakazawa G, Ijichi T, Nakano M, Ohno Y, Shinozaki N, Yoshimachi F, **Ikari Y**. Impact of a single universal guiding catheter on door-to-balloon time in primary transradial coronary intervention for ST segment elevation myocardial infarction. *Cardiovasc Interv Ther* 2017;32:114-119.
3. Tammam K, **Ikari Y**, Yoshimachi F, Saito F, Hassan W. Impact of transradial coronary intervention on bleeding complications in octogenarians. *Cardiovasc Interv Ther* 2017;32:18-23.
4. Shiomi H, Morimoto T, Kitaguchi S, Nakagawa Y, Ishii K, Haruna Y, Takamisawa I, Motooka M, Nakao K, Matsuda S, Mimoto S, Aoyama Y, Takeda T, Murata K, Akao M, Inada T, Eizawa H, Hyakuna E, Awano K, Shirotani M, Furukawa Y, Kadota K, Miyauchi K, Tanaka M, Noguchi Y, Nakamura S, Yasuda S, Miyazaki S, Daida H, Kimura K, **Ikari Y**, Hirayama H, Sumiyoshi T, Kimura T. The ReACT Trial: Randomized Evaluation of Routine Follow-up Coronary Angiography After Percutaneous Coronary Intervention Trial. *JACC Cardiovasc Interv* 2017;10:109-117.
5. Shinozaki N, Minowa T, **Ikari Y**. Transradial intervention for chronic total occlusion at the external iliac artery using a bidirectional approach through a single guiding catheter. *Cardiovasc Interv Ther* 2017;32:174-177.
6. Quadri G, F DA, Moretti C, D'Amico M, Raposeiras-Roubin S, Abu-Assi E, Henriques JP, Saucedo J, Gonzalez-Juanatey JR, Wilton SB, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song X, Alexopoulos D, Liebetrau C, Kawaji T, Huczek Z, Nie SP, Fujii T, Correia L, Kawashiri MA, Garcia-Acuna JM, Southern D, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Omede P, Montefusco A, Giordana F, Scarano S, Kowara M, Filipiak K, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahashi T, Sakata K, Yamagishi M, Kalpak O, Kedev S, Varbella F, Gaita F. Complete or incomplete coronary revascularization in patients with myocardial infarction and multivessel disease. A propensity score analysis from the "real life" BleMACS (Bleeding complications in a Multicenter registry of patients discharged with

- diagnosis of Acute Coronary Syndrome) registry. *EuroIntervention* 2017.
7. Murakami T, Nakazawa G, Horinouchi H, Torii S, Ijichi T, Ohno Y, Amino M, Shinozaki N, Ogata N, Yoshimachi F, Yoshioka K, **Ikari Y**. Transcatheter closure of atrial septal defect protects from pulmonary edema: septal occluder device gradually reduces LR shunt. *Heart Vessels* 2017;32:101-104.
 8. **Ikari Y**, Awata M, Mitsudo K, Akasaka T, Saito S, Ishihara T, Fujii T, Hashimoto H, Terashima M, Ikemoto T, Hibi K, Tazaki J, Nakamura A, Nishikawa H, Sato T, Nakagawa Y. Efficient distal tip size of primary guidewire for antegrade percutaneous coronary intervention in chronic total occlusion: The G-FORCE study. *Int J Cardiol* 2017;227:94-99.
 9. Iannaccone M, F DA, De Filippo O, Gagliardi M, Southern DA, Raposeiras-Roubin S, Abu-Assi E, Henriques JP, Saucedo J, Gonzalez-Juanatey JR, Wilton SB, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song X, Alexopoulos D, Liebetrau C, Kawaji T, Huczek Z, Nie SP, Fujii T, Correia L, Kawashiri MA, Garcia-Acuna JM, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Kowara M, Filipiak K, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahashi T, Sakata K, Yamagishi M, Moretti C, Gaita F, Kalpak O, Kedev S. Optimal Medical Therapy in Patients with Malignancy Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndrome: a BleeMACS Sub-Study. *Am J Cardiovasc Drugs* 2017;17:61-71.
 10. Iannaccone M, D'Ascenzo F, Vadala P, Wilton SB, Noussan P, Colombo F, Raposeiras Roubin S, Abu Assi E, Gonzalez-Juanatey JR, Simao Henriques JP, Saucedo J, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song XT, Alexopoulos D, Liebetrau C, Kawaji T, Moretti C, Garbo R, Huczek Z, Nie SP, Fujii T, Correia LC, Kawashiri MA, Garcia Acuna JM, Southern D, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Giordana F, Kowara M, Filipiak K, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahashi T, Sakata K, Gaita F, Yamagishi M, Kalpak O, Kedev S. Prevalence and outcome of patients with cancer and acute coronary syndrome undergoing percutaneous coronary intervention: a BleeMACS substudy. *Eur Heart J Acute Cardiovasc Care* 2017:2048872617706501.
 11. Fujii T, Nakano M, Ohno Y, Nakazawa G, Shinozaki N, Matsukage T, Yoshimachi F, **Ikari Y**. Collateral filling efficiency of comorbid chronic total occlusion segment on short-term mortality in ST-elevation myocardial infarction. *Int J Cardiol* 2017;230:346-352.
 12. Amino M, Yoshioka K, Shima M, Okada T, Nakajima M, Furusawa Y, Kanda S,

- Inokuchi S, Tanabe T, **Ikari Y**, Kamada T. Changes in arrhythmogenic properties and five-year prognosis after carbon-ion radiotherapy in patients with mediastinum cancer. *Ann Noninvasive Electrocardiol* 2017.
13. Amino M, Yoshioka K, Furusawa Y, Tanaka S, Kawabe N, Hashida T, Tsukada T, Izumi M, Inokuchi S, Tanabe T, **Ikari Y**. Inducibility of Ventricular Arrhythmia 1 Year Following Treatment with Heavy Ion Irradiation in Dogs with Myocardial Infarction. *Pacing Clin Electrophysiol* 2017;40:379-390.
 14. Yoshimachi F, Kiemeneij F, Masutani M, Matsukage T, Takahashi A, **Ikari Y**. Safety and feasibility of the new 5 Fr Glidesheath Slender. *Cardiovasc Interv Ther* 2016;31:38-41.
 15. Torii S, Nakazawa G, Ijichi T, Yoshikawa A, Ohno Y, **Ikari Y**. Comparison of the endothelial coverage in everolimus and zotarolimus-eluting stents in normal, atherosclerotic, and bifurcation rabbit iliac arteries. *Cardiovasc Interv Ther* 2016.
 16. Torii S, Masuda N, **Ikari Y**. Retrograde approach via left internal mammary artery using a 5 Fr guiding catheter. *Cardiovasc Interv Ther* 2016;31:156-60.
 17. Torii S, Fujii T, Murakami T, Nakazawa G, Ijichi T, Nakano M, Ohno Y, Shinozaki N, Yoshimachi F, **Ikari Y**. Impact of a single universal guiding catheter on door-to-balloon time in primary transradial coronary intervention for ST segment elevation myocardial infarction. *Cardiovasc Interv Ther* 2016.
 18. Tanaka S, **Ikari Y**, Ijichi T, Nakazawa G. Treat-to-target lipid control is effective but highlighted poor prognosis without indication of statin following percutaneous coronary intervention. *Cardiovasc Interv Ther* 2016.
 19. Tammam K, **Ikari Y**, Yoshimachi F, Saito F, Hassan W. Impact of transradial coronary intervention on bleeding complications in octogenarians. *Cardiovasc Interv Ther* 2016.
 20. Sugimoto A, Iwamoto J, Tsumuraya N, Nagaoka M, **Ikari Y**. Acute compartment syndrome occurring in forearm with relatively small amount of hematoma following transradial coronary intervention. *Cardiovasc Interv Ther* 2016;31:147-50.
 21. Shiomi H, Morimoto T, Kitaguchi S, Nakagawa Y, Ishii K, Haruna Y, Takamisawa I, Motooka M, Nakao K, Matsuda S, Mimoto S, Aoyama Y, Takeda T, Murata K, Akao M, Inada T, Eizawa H, Hyakuna E, Awano K, Shirotani M, Furukawa Y, Kadota K, Miyauchi K, Tanaka M, Noguchi Y, Nakamura S, Yasuda S, Miyazaki S, Daida H, Kimura K, **Ikari Y**, Hirayama H, Sumiyoshi T, Kimura T. The ReACT Trial: Randomized Evaluation of Routine Follow-up Coronary Angiography After Percutaneous Coronary Intervention Trial. *JACC*

- Cardiovasc Interv 2016.
22. Shinozaki N, Minowa T, **Ikari Y**. Transradial intervention for chronic total occlusion at the external iliac artery using a bidirectional approach through a single guiding catheter. *Cardiovasc Interv Ther* 2016.
 23. Orvin K, Carrie D, Richardt G, Desmet W, Assali A, Werner G, **Ikari Y**, Fujii K, Goicolea J, Dangoisse V, Manari A, Saito S, Wijns W, Kornowski R. Comparison of sirolimus eluting stent with bioresorbable polymer to everolimus eluting stent with permanent polymer in bifurcation lesions: Results from CENTURY II trial. *Catheter Cardiovasc Interv* 2016;87:1092-100.
 24. Noguchi K, Sakakibara M, Asakawa N, Tokuda Y, Kamiya K, Yoshitani T, Oba K, Miyauchi K, Nishizaki Y, Ogawa H, Yokoi H, Matsumoto M, Kitakaze M, Kimura T, Matsubara T, **Ikari Y**, Kimura K, Origasa H, Isshiki T, Morino Y, Daida H, Tsutsui H. Higher Hemoglobin A1c After Discharge Is an Independent Predictor of Adverse Outcomes in Patients With Acute Coronary Syndrome-Findings From the PACIFIC Registry. *Circ J* 2016;80:1607-14.
 25. Nakazawa G, Torii S, Ijichi T, Nagamatsu H, Ohno Y, Kurata F, Yoshikawa A, Nakano M, Shinozaki N, Yoshimachi F, **Ikari Y**. Comparison of Vascular Responses Following New-Generation Biodegradable and Durable Polymer-Based Drug-Eluting Stent Implantation in an Atherosclerotic Rabbit Iliac Artery Model. *J Am Heart Assoc* 2016;5.
 26. Nakano M, Yahagi K, Virmani R, **Ikari Y**. Are Microcalcification and Hemosiderin Really Limitations of OCT in Detection of TCFA? *JACC Cardiovasc Imaging* 2016;9:215.
 27. Nakamura M, Yoshioka K, Amino M, Watanabe E, Fujii T, Hashida T, Fujibayashi D, Kanda S, Kobayashi Y, Tanabe T, **Ikari Y**. Late Potential as a Predictor of re-Hospitalization after Percutaneous Coronary Intervention for Acute Coronary Syndrome. *Tokai J Exp Clin Med* 2016;41:172-180.
 28. Nagaoka M, Tsumuraya N, Nie M, **Ikari Y**. Zero Contrast Coronary Intervention Using Intravascular Ultrasound Guidance in a Patient with Allergy to Contrast Medium. *Tokai J Exp Clin Med* 2016;41:152-5.
 29. Koga M, Kawamura Y, Ito D, Iseki H, **Ikari Y**. A case of ST segment-elevated myocardial infarction with less common forms of single coronary artery. *Cardiovasc Interv Ther* 2016;31:304-8.
 30. **Ikari Y**, Torii S, Shioi A, Okano T. Impact of menaquinone-4 supplementation on coronary artery calcification and arterial stiffness: an open label single arm study. *Nutr J* 2016;15:53.
 31. Iannaccone M, F DA, De Filippo O, Gagliardi M, Southern DA,

- Raposeiras-Roubin S, Abu-Assi E, Henriques JP, Saucedo J, Gonzalez-Juanatey JR, Wilton SB, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song X, Alexopoulos D, Liebetrau C, Kawaji T, Huczek Z, Nie SP, Fujii T, Correia L, Kawashiri MA, Garcia-Acuna JM, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Kowara M, Filipiak K, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahashi T, Sakata K, Yamagishi M, Moretti C, Gaita F, Kalpak O, Kedev S. Optimal Medical Therapy in Patients with Malignancy Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndrome: a BleeMACS Sub-Study. *Am J Cardiovasc Drugs* 2016.
32. Hashida T, Yoshioka K, Kanda S, Fujibayashi D, Amino M, **Ikari Y**. Investigation of a Correlation between Thoracic Vertebra Hyperplasia and Relapse in Paroxysmal Atrial Fibrillation Patients Following Extended Pulmonary Vein Isolation. *Tokai J Exp Clin Med* 2016;41:163-8.
33. Giordana F, Montefusco A, D'Ascenzo F, Moretti C, Scarano S, Abu-Assi E, Raposeiras-Roubin S, Henriques JP, Saucedo J, Gonzalez-Juanatey JR, Wilton SB, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song X, Alexopoulos D, Liebetrau C, Kawaji T, Huczek Z, Nie SP, Fujii T, Correia L, Kawashiri MA, Garcia-Acuna JM, Southern D, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Kowara M, Filipiak K, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahayshi T, Sakata K, Yamagishi M, Kalpak O, Kedev S, Gaita F. Safety and effectiveness of the new P2Y12r inhibitor agents vs clopidogrel in ACS patients according to the geographic area: East Asia vs Europe. *Int J Cardiol* 2016;220:488-95.
34. Gili S, D'Ascenzo F, Lococo MF, Moretti C, Gaita F, Raposeiras-Roubin S, Abu-Assi E, Henriques JP, Saucedo J, Gonzalez-Juanatey JR, Wilton SB, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song X, Alexopoulos D, Liebetrau C, Kawaji T, Huczek Z, Nie SP, Fujii T, Correia L, Kawashiri MA, Garcia-Acuna JM, Southern D, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Scarano S, Kowara M, Filipiak K, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahashi T, Sakata K, Yamagishi M, Kalpak O, Kedev S. Impact of blood transfusion on in-hospital myocardial infarctions according to patterns of acute coronary syndrome: Insights from the BleeMACS registry. *Int J Cardiol* 2016;221:364-70.
35. Fujii T, Sakai K, Nakano M, Ohno Y, Nakazawa G, Shinozaki N, Matsukage T, Yoshimachi F, **Ikari Y**. Impact of the origin of the collateral feeding donor artery on short-term mortality in ST-elevation myocardial infarction with comorbid chronic total occlusion. *Int J Cardiol* 2016;218:158-63.

36. Fujii T, Sakai K, Kimura M, Nakano M, Ohno Y, Nakazawa G, Shinozaki N, Matsukage T, Yoshimachi F, **Ikari Y**. Coronary flow improvement following unsuccessful primary percutaneous coronary intervention in ST-elevation myocardial infarction with diffuse ectatic coronary artery. *Eur Heart J Acute Cardiovasc Care* 2016.
37. Fujii T, Nakano M, Ohno Y, Nakazawa G, Shinozaki N, Matsukage T, Yoshimachi F, **Ikari Y**. Collateral filling efficiency of comorbid chronic total occlusion segment on short-term mortality in ST-elevation myocardial infarction. *Int J Cardiol* 2016.
38. Fujii T, Nagamatsu H, Nakano M, Ohno Y, Nakazawa G, Shinozaki N, Yoshimachi F, **Ikari Y**. Clinical outcomes in patients with acute hemodynamic collapse supported by extracorporeal life support. *Intern Emerg Med* 2016.
39. Doi S, Ohno Y, Nakazawa G, **Ikari Y**. Uncommon cause of paradoxical low-flow low-gradient severe aortic stenosis: easy to underestimate, difficult to diagnose. *Eur Heart J* 2016;37:2678.
40. D'Ascenzo F, Abu-Assi E, Raposeiras-Roubin S, Simao Henriques JP, Saucedo J, Gonzalez-Juanatey JR, Wilton SB, Kikkert WJ, Nunez-Gil I, Ariza-Sole A, Song X, Alexopoulos D, Liebetau C, Kawaji T, Moretti C, Huczek Z, Nie SP, Fujii T, Correia LC, Kawashiri MA, Garcia-Acuna JM, Southern D, Alfonso E, Terol B, Garay A, Zhang D, Chen Y, Xanthopoulou I, Osman N, Mollmann H, Shiomi H, Giordana F, Scarano S, Gaita F, Kowara M, Filipiak KJ, Wang X, Yan Y, Fan JY, **Ikari Y**, Nakahayshi T, Sakata K, Yamagishi M, Kalpak O, Kedev S. BleeMACS: rationale and design of the study. *J Cardiovasc Med (Hagerstown)* 2016;17:744-9.
41. Amino M, Yoshioka K, Aoki T, Yamamoto M, Iga T, Kanda S, Abe T, Inokuchi S, Tanabe T, **Ikari Y**. Arrhythmogenic Substrates in Sleep-Disordered Breathing with Arterial Hypertension. *Pacing Clin Electrophysiol* 2016;39:321-9.
42. Amino M, Inokuchi S, Yoshioka K, Nakagawa Y, **Ikari Y**, Funakoshi H, Hayakawa K, Matsuzaki M, Sakurai A, Tahara Y, Yonemoto N, Nagao K, Yaguchi A, Morimura N. Does Antiarrhythmic Drug During Cardiopulmonary Resuscitation Improve the One-month Survival: The SOS-KANTO 2012 Study. *J Cardiovasc Pharmacol* 2016;68:58-66.
43. Yoshioka K, Amino M, Nakamura M, Kanda S, Kobayashi Y, **Ikari Y**, Shima M, Tanabe T. Incidence of Positive Ventricular Late Potentials Differs in Postural Changes among Supine, Left, and Right Lateral Decubitus, and Prone and Sitting Positions in Brugada Syndrome. *Ann Noninvasive Electrocardiol* 2015;20:488-97.

44. Torii S, Nakazawa G, Ijichi T, Yoshikawa A, Murakami T, Natsumeda M, Fujii T, Shinozaki N, Yoshimachi F, Morino Y, **Ikari Y**. Simultaneous Intravascular Ultrasound Usage Overcomes Misinterpretation When Evaluating Lipid-Rich Plaques With Optical Frequency Domain Imaging- Ex Vivo Study. *Circ J* 2015;79:2641-7.
45. Torii S, Masuda N, **Ikari Y**. Retrograde approach via left internal mammary artery using a 5 Fr guiding catheter. *Cardiovasc Interv Ther* 2015.
46. Sugimoto A, Iwamoto J, Tsumuraya N, Nagaoka M, **Ikari Y**. Acute compartment syndrome occurring in forearm with relatively small amount of hematoma following transradial coronary intervention. *Cardiovasc Interv Ther* 2015.
47. Orvin K, Carrie D, Richardt G, Desmet W, Assali A, Werner G, **Ikari Y**, Fujii K, Goicolea J, Dangoisse V, Manari A, Saito S, Wijns W, Kornowski R. Comparison of sirolimus eluting stent with bioresorbable polymer to everolimus eluting stent with permanent polymer in bifurcation lesions: Results from CENTURY II trial. *Catheter Cardiovasc Interv* 2015.
48. Natsumeda M, Nakazawa G, Murakami T, Torii S, Ijichi T, Ohno Y, Masuda N, Shinozaki N, Ogata N, Yoshimachi F, **Ikari Y**. Coronary angiographic characteristics that influence fractional flow reserve. *Circ J* 2015;79:802-7.
49. Nakashima M, **Ikari Y**, Aoki J, Tanabe K, Tanimoto S, Hara K. Intravascular ultrasound-guided chronic total occlusion wiring technique using 6 Fr catheters via bilateral transradial approach. *Cardiovasc Interv Ther* 2015;30:68-71.
50. Murakami T, Masuda N, Torii S, Ijichi T, Natsumeda M, Fujii T, Nakano M, Ohno Y, Nakazawa G, Shinozaki N, Tamam KO, Matsukage T, Ogata N, Yoshimachi F, **Ikari Y**. The Efficacy and Feasibility of Chronic Total Occlusion by Transradial Intervention: A Japanese Single-Center Retrospective Study. *J Invasive Cardiol* 2015;27:E177-81.
51. Kozuma K, Otsuka M, **Ikari Y**, Uehara Y, Yokoi H, Sano K, Tanabe K, Hibi K, Yamane M, Ishiwata S, Ohta H, Yamauchi Y, Suematsu N, Nakayama M, Inoue N, Kyono H, Suzuki N, Isshiki T. Clinical and angiographic outcomes of paclitaxel-eluting coronary stent implantation in hemodialysis patients: A prospective multicenter registry: The OUCH-TL study (outcome in hemodialysis of TAXUS Liberte). *J Cardiol* 2015;66:502-8.
52. Koga M, Kawamura Y, Ito D, Iseki H, **Ikari Y**. A case of ST segment-elevated myocardial infarction with less common forms of single coronary artery. *Cardiovasc Interv Ther* 2015.
53. **Ikari Y**, Kyono H, Isshiki T, Ishizuka S, Nasu K, Sano K, Okada H, Sugano T,

- Uehara Y. Usefulness of Everolimus-Eluting Coronary Stent Implantation in Patients on Maintenance Hemodialysis. *Am J Cardiol* 2015;116:872-6.
54. Ijichi T, Nakazawa G, Torii S, Nakano M, Yoshikawa A, Morino Y, **Ikari Y.** Evaluation of coronary arterial calcification - Ex-vivo assessment by optical frequency domain imaging. *Atherosclerosis* 2015;243:242-7.
 55. Fujii T, Masuda N, Nakano M, Nakazawa G, Shinozaki N, Matsukage T, Ogata N, Yoshimachi F, **Ikari Y.** Impact of transient or persistent slow flow and adjunctive distal protection on mortality in ST-segment elevation myocardial infarction. *Cardiovasc Interv Ther* 2015;30:121-30.
 56. Fujii T, Fukuyama N, Ikeya Y, Tanaka C, Shinozaki Y, Fukushima K, Umetani K, **Ikari Y.** Mori H. Development of Fingertip Synchrotron Radiation Microangiography toward Clinical Prediction of Diabetic Microangiopathy. *Tokai J Exp Clin Med* 2015;40:1-7.
 57. Amino M, Inokuchi S, Nagao K, Nakagawa Y, Yoshioka K, **Ikari Y.** Funakoshi H, Hayakawa K, Matsuzaki M, Sakurai A, Tahara Y, Yonemoto N, Yaguchi A, Morimura N. Nifekalant Hydrochloride and Amiodarone Hydrochloride Result in Similar Improvements for 24-Hour Survival in Cardiopulmonary Arrest Patients: The SOS-KANTO 2012 Study. *J Cardiovasc Pharmacol* 2015;66:600-9.
 58. Yoshioka K, Amino M, Nakamura M, Kanda S, Kobayashi Y, **Ikari Y.** Shima M, Tanabe T. Incidence of Positive Ventricular Late Potentials Differs in Postural Changes among Supine, Left, and Right Lateral Decubitus, and Prone and Sitting Positions in Brugada Syndrome. *Ann Noninvasive Electrocardiol* 2014.
 59. Torii S, Nakazawa G, Ijichi T, Yoshikawa A, Ohno Y, Masuda N, Shinozaki N, Ogata N, **Ikari Y.** Comparison of in vivo longitudinal strength and conformability following stent implantation in rabbit iliac artery. *J Invasive Cardiol* 2014;26:64-9.
 60. Takeshita S, Asano H, Hata T, Hibi K, **Ikari Y.** Kan Y, Katsuki T, Kawasaki T, Masutani M, Matsumura T, Premchand RK, Rao SP, Suzuki T, Takahashi A, Takeda R, Tanaka S, Yamazaki S, Yin WH, Yoshimachi F, Saito S. Comparison of frequency of radial artery occlusion after 4Fr versus 6Fr transradial coronary intervention (from the Novel Angioplasty USIng Coronary Accessor Trial). *Am J Cardiol* 2014;113:1986-9.
 61. Shinozaki N, Suzuki T, **Ikari Y.** Effective emergent endovascular recanalization for acute coronary syndrome with left subclavian artery occlusion in a prior coronary artery bypass graft patient. *Cardiovasc Interv Ther* 2014;29:368-71.
 62. Shinozaki N, Ogata N, **Ikari Y.** Initial results of transradial iliac artery stenting.

- Vasc Endovascular Surg 2014;48:51-4.
63. Shinozaki N, Ogata N, **Ikari Y.** Plaque Protrusion Detected by Intravascular Ultrasound during Carotid Artery Stenting. J Stroke Cerebrovasc Dis 2014.
 64. Ogata N, Shinozaki N, **Ikari Y.** Potential cause of delayed strokes following carotid artery stenting. Cardiovasc Interv Ther 2014;29:52-4.
 65. Ogata N, **Ikari Y.**, Nanasato M, Okutsu M, Kametani R, Abe M, Uehara Y, Sumitsuji S. Safety margin of minimized contrast volume during percutaneous coronary intervention in patients with chronic kidney disease. Cardiovasc Interv Ther 2014;29:209-15.
 66. Nakazawa G, Shinke T, Ijichi T, Matsumoto D, Otake H, Torii S, Hiranuma N, Ohsue T, Otsuka F, Shite J, Hirata K, **Ikari Y.** Comparison of vascular response between durable and biodegradable polymer-based drug-eluting stents in a porcine coronary artery model. EuroIntervention 2014;10:717-23.
 67. Nakashima M, **Ikari Y.**, Aoki J, Tanabe K, Tanimoto S, Hara K. Intravascular ultrasound-guided chronic total occlusion wiring technique using 6 Fr catheters via bilateral transradial approach. Cardiovasc Interv Ther 2014.
 68. Matsuzaki A, Yoshioka K, Amino M, Shima M, Hashida T, Fujibayashi D, Kanda S, Kobayashi Y, Tanabe T, **Ikari Y.** Usefulness of Continuous 24-hour Ventricular Late Potential to Predict Prognosis in Patients with Heart Failure. Tokai J Exp Clin Med 2014;39:128-36.
 69. Kiyooka T, Kobayashi Y, **Ikari Y.** A case of vasospastic angina in which the ergonovine provocation test with intracoronary isosorbide dinitrate and nicorandil was effective in the diagnosis of microvascular spasm. Cardiovasc Interv Ther 2014.
 70. Kanda S, Yoshioka K, Amino M, Deguchi Y, Aizawa T, Tanabe T, **Ikari Y.** Effects of a combination of losartan and hydrochlorothiazide in patients with hypertension and a history of heart failure. Tokai J Exp Clin Med 2014;39:1-4.
 71. Hirano M, Yamashina A, Hara K, **Ikari Y.**, Jinzaki M, Ino M, Yamaguchi T, Tanimoto M, Kuribayashi S. A randomized, double-blind, placebo-controlled, phase III study of the short-acting beta1-adrenergic receptor blocker landiolol hydrochloride for coronary computed tomography angiography in Japanese patients with suspected ischemic cardiac disease. Clin Drug Investig 2014;34:53-62.
 72. Hirano M, Yamashina A, Hara K, **Ikari Y.**, Jinzaki M, Ino M, Yamaguchi T, Tanimoto M, Kuribayashi S. A Multicenter, Open-Label Study of an Intravenous Short-Acting beta1-Adrenergic Receptor Antagonist Landiolol Hydrochloride for Coronary Computed Tomography Angiography by 16-Slice Multi-Detector

- Computed Tomography in Japanese Patients with Suspected Ischemic Cardiac Disease. *Drugs R D* 2014;14:185-94.
73. Fujii T, Suzuki T, Torii S, Murakami T, Nakano M, Nakazawa G, Masuda N, Shinozaki N, Matsukage T, Ogata N, Yoshimachi F, **Ikari Y**. Diagnostic Accuracy of Global Registry of Acute Coronary Events (GRACE) Risk Score in ST-Elevation Myocardial Infarction for In-Hospital and 360-Day Mortality in Japanese Patients. *Circ J* 2014.
 74. Fujii T, Masuda N, Suzuki T, Torii S, Murakami T, Nakano M, Nakazawa G, Shinozaki N, Matsukage T, Ogata N, Yoshimachi F, **Ikari Y**. Impact of transport pathways on the time from symptom onset of ST-segment elevation myocardial infarction to door of coronary intervention facility. *J Cardiol* 2014;64:11-8.
 75. Fujii T, Masuda N, Nakano M, Nakazawa G, Shinozaki N, Matsukage T, Ogata N, Yoshimachi F, **Ikari Y**. Impact of transient or persistent slow flow and adjunctive distal protection on mortality in ST-segment elevation myocardial infarction. *Cardiovasc Interv Ther* 2014.
 76. Fujii T, Masuda N, Ijichi T, Kamiyama Y, Tanaka S, Nakazawa G, Shinozaki N, Matsukage T, Ogata N, **Ikari Y**. Transradial intervention for patients with ST elevation myocardial infarction with or without cardiogenic shock. *Catheter Cardiovasc Interv* 2014;83:E1-7.
 77. Fujii T, Fukuyama N, Tanaka C, Ikeya Y, Shinozaki Y, Kawai T, Atsumi T, Shiraishi T, Sato E, Kuroda R, Toyokawa H, Yamada K, **Ikari Y**, Mori H. Visualization of microvessels by angiography using inverse-Compton scattering X-rays in animal models. *J Synchrotron Radiat* 2014;21:1327-32.
 78. Yoshioka K, Amino M, Zareba W, Shima M, Matsuzaki A, Fujii T, Kanda S, Deguchi Y, Kobayashi Y, **Ikari Y**, Kodama I, Tanabe T. Identification of high-risk Brugada syndrome patients by combined analysis of late potential and T-wave amplitude variability on ambulatory electrocardiograms. *Circ J* 2013;77:610-8.
 79. Wu EB, **Ikari Y**. Stingray balloon used in slender percutaneous coronary intervention for chronic total occlusion. *J Invasive Cardiol* 2013;25:E155-8.
 80. Torii S, Ohta H, Morino Y, Nakashima M, Suzuki Y, Murata S, Sakuma Y, **Ikari Y**, Tamura T. Successful endovascular treatment of rupture of mycotic left main coronary artery aneurysm. *Can J Cardiol* 2013;29:1014 e7-9.
 81. Takiguchi H, Niimi K, Aoki T, Ogiya R, Ohno Y, Nakazawa G, **Ikari Y**, Abe T, Asano K. Platypnea-orthodeoxia syndrome caused by a latent atrial septal defect. *Intern Med* 2013;52:1809-11.
 82. Shinozaki N, Ogata N, **Ikari Y**. Initial Results of Transradial Iliac Artery

- Stenting. *Vasc Endovascular Surg* 2013.
83. Kotani J, **Ikari Y**, Kyo E, Nakamura M, Yokoi H. Consideration of dual anti-platelet therapy duration after drug-eluting stent implantation in a Japanese population: a five-year follow-up after sirolimus-eluting stent implantation. *Intern Med* 2013;52:703-11.
 84. Kotani J, **Ikari Y**, Kyo E, Nakamura M, Yokoi H. Long-term outcomes following off-label use of sirolimus-eluting stent. *J Cardiol* 2013;62:151-7.
 85. Kawamura Y, Nagaoka M, Ito D, Iseki H, **Ikari Y**. A case of percutaneous coronary intervention procedure successfully bailed out from multiple complications in hemodialysis patient. *Cardiovasc Interv Ther* 2013;28:76-80.
 86. Jinzaki M, Hirano M, Hara K, Suzuki T, Yamashina A, **Ikari Y**, Iino M, Yamaguchi T, Kuribayashi S. A randomized, double-blind, placebo-controlled, phase II dose-finding study of the short acting beta1-blocker, landiolol hydrochloride, in patients with suspected ischemic cardiac disease. *Int J Cardiovasc Imaging* 2013;29 Suppl 1:7-20.
 87. **Ikari Y**, Misumi K, Yokoi H, Ogata N, Umemoto T, Uesugi M, Kinoshita Y, Nakano M, Higashitani M, Abe H, Ando H, Yamamoto K, Tanimoto S. Initial results of carotid artery stenting in Japan. *Cardiovasc Interv Ther* 2013;28:37-44.
 88. Ijichi T, **Ikari Y**. Transradial coronary angiography with virtual 1 French, sheathless 3 French catheter. *Catheter Cardiovasc Interv* 2013;82:E676-7.
 89. Hirano M, Yamashina A, Hara K, **Ikari Y**, Jinzaki M, Iino M, Yamaguchi T, Tanimoto M, Kuribayashi S. A Randomized, Double-Blind, Placebo-Controlled, Phase III Study of the Short-Acting beta-Adrenergic Receptor Blocker Landiolol Hydrochloride for Coronary Computed Tomography Angiography in Japanese Patients with Suspected Ischemic Cardiac Disease. *Clin Drug Investig* 2013.
 90. Hirano M, Hara K, **Ikari Y**, Jinzaki M, Iino M, Hamada C, Kuribayashi S. Dose-finding study of landiolol hydrochloride: a short-acting beta1-blocker for controlling heart rate during coronary computed-tomography angiography in Japan. *Adv Ther* 2013;30:803-18.
 91. Habara S, Iwabuchi M, Inoue N, Nakamura S, Asano R, Nanto S, Hayashi Y, Shiode N, Saito S, **Ikari Y**, Kimura T, Hosokawa J, Nakamura M, Kotani J, Kozuma K, Mitsudo K. A multicenter randomized comparison of paclitaxel-coated balloon catheter with conventional balloon angioplasty in patients with bare-metal stent restenosis and drug-eluting stent restenosis. *Am Heart J* 2013;166:527-33.
 92. Fujimoto H, **Ikari Y**, Nakamura M. Long-term efficacy of sirolimus-eluting stent for small vessel disease--subanalysis of Cypher Stent Japan Post-Marketing

- Surveillance Registry. *J Cardiol* 2013;61:31-7.
93. Fujii T, Yoshioka K, Nakano M, Nakazawa G, Amino M, Masuda N, Shinozaki N, Kanda S, Ogata N, Deguchi Y, Yoshimachi F, **Ikari Y**. Regional wall motion abnormality at the lateral wall disturbs correlations between tissue Doppler E/e' ratios and left ventricular diastolic performance parameters measured by invasive methods. *J Echocardiogr* 2013;11:138-146.
 94. Daida H, Miyauchi K, Ogawa H, Yokoi H, Matsumoto M, Kitakaze M, Kimura T, Matsubara T, **Ikari Y**, Kimura K, Tsukahara K, Origasa H, Morino Y, Tsutsui H, Kobayashi M, Isshiki T. Management and two-year long-term clinical outcome of acute coronary syndrome in Japan: prevention of atherothrombotic incidents following ischemic coronary attack (PACIFIC) registry. *Circ J* 2013;77:934-43.
 95. Adachi T, Kotani J, **Ikari Y**, Kyo E, Nakamura M, Yokoi H. The Japanese experience with sirolimus-eluting stent implantation in the infarct-related artery: five years of observation from the J-PMS study. *J Cardiol* 2013;61:321-5.
 96. Kotani J, **Ikari Y**, Kyo E, Nakamura M, Yokoi H, Furuno K, Inui H, Kozuma K. Five-year outcomes of Cypher coronary stent: report from J-PMS Study. *Cardiovasc Interv Ther* 2012;27:63-71.
 97. Kohro T, Iwata H, Fujiu K, Manabe I, Fujita H, Haraguchi G, Morino Y, Oguri A, Ikenouchi H, Kurabayashi M, **Ikari Y**, Isobe M, Ohe K, Nagai R. Development and implementation of an advanced coronary angiography and intervention database system. *Int Heart J* 2012;53:35-42.
 98. Kadota K, Muramatsu T, Iwabuchi M, Saito S, Hayashi Y, **Ikari Y**, Nanto S, Fujii K, Inoue N, Namiki A, Kimura T, Mitsudo K. Randomized comparison of the nobori biolimus A9-eluting stent with the sirolimus-eluting stent in patients with stenosis in native coronary arteries. *Catheter Cardiovasc Interv* 2012;80:789-96.
 99. Isshiki T, Kimura T, Ueno T, Nakamura M, Igarashi K, Yokoi H, Kobayashi M, **Ikari Y**. Clopidogrel trial in patients with elective percutaneous coronary intervention for stable angina and old myocardial infarction (CLEAN). *Int Heart J* 2012;53:91-101.
 100. **Ikari Y**, Tanabe K, Koyama Y, Kozuma K, Sano K, Isshiki T, Katsuki T, Kimura K, Yamane M, Takahashi N, Hibi K, Hasegawa K, Ishiwata S, Kiyooka T, Yokoi H, Uehara Y, Hara K. Sirolimus eluting coronary stent implantation in patients on maintenance hemodialysis: the OUCH study (outcome of cypher stent inhemodialysis patients). *Circ J* 2012;76:1856-63.
 101. Hirakata H, Nitta K, Inaba M, Shoji T, Fujii H, Kobayashi S, Tabei K, Joki N,

- Hase H, Nishimura M, Ozaki S, **Ikari Y**, Kumada Y, Tsuruya K, Fujimoto S, Inoue T, Yokoi H, Hirata S, Shimamoto K, Kugiyama K, Akiba T, Iseki K, Tsubakihara Y, Tomo T, Akizawa T. Japanese Society for Dialysis Therapy Guidelines for Management of Cardiovascular Diseases in Patients on Chronic Hemodialysis. *Ther Apher Dial* 2012;16:387-435.
102. Fujimoto H, **Ikari Y**, Nakamura M. The long-term efficacy of sirolimus-eluting stent for small vessel disease-Subanalysis of Cypher Stent Japan Post-Marketing Surveillance Registry. *J Cardiol* 2012.
 103. Fujii T, Masuda N, Ijichi T, Kamiyama Y, Tanaka S, Nakazawa G, Shinozaki N, Matsukage T, Ogata N, **Ikari Y**. Feasibility of 6 Fr intra-aortic balloon pumping via the femoral or brachial approach. *J Invasive Cardiol* 2012;24:641-4.
 104. Rin O, Matsukage T, Komai T, Kamiyama Y, Nakazawa G, Ogata N, **Ikari Y**. [Case report; A case of Fabry's disease suspected based on echocardiographic findings]. *Nihon Naika Gakkai Zasshi* 2011;100:1654-6.
 105. Morino Y, Sugimoto A, Fujii T, **Ikari Y**. Serial intravascular ultrasound observation of the behavior of coronary artery during a positive spasm provocation test. *Circ J* 2011;75:1529-31.
 106. Matsukage T, Masuda N, **Ikari Y**. Successful transradial intervention by switching from 6 French to 5 French guiding catheter. *J Invasive Cardiol* 2011;23:E153-5.
 107. Masuda N, Matsukage T, **Ikari Y**. Successful transradial intervention for two lesions with dual anomalous origins of coronary arteries. *J Invasive Cardiol* 2011;23:E117-20.
 108. Kozuma K, Ota Y, Nagai Y, Katsuta Y, Nozaki E, Onodera T, **Ikari Y**, Kotani J, Kyo E, Yokoi H, Nakamura M. Clinical and angiographic outcomes with sirolimus-eluting stent for coronary bifurcation lesions. *Circ J* 2011;75:306-14.
 109. Komai T, Nakazawa G, Asai S, **Ikari Y**. Fatal fulminant myocarditis associated with novel influenza A (H1N1) infection. *Eur Heart J* 2011;32:283.
 110. Kadota K, Muramatsu T, Iwabuchi M, Saito S, Hayashi Y, **Ikari Y**, Nanto S, Fujii K, Inoue N, Namiki A, Kimura T, Mitsudo K. Randomized comparison of the nobori biolimus A9-eluting stent with the sirolimus-eluting stent in patients with stenosis in native coronary arteries. *Catheter Cardiovasc Interv* 2011.
 111. Ishiguro H, Murohara T, **Ikari Y**. The feasibility of using Ikari left catheter via the right radial approach in a patient with dextrocardia for better guiding support. *J Invasive Cardiol* 2011;23:E288-90.
 112. Morino Y, Tamiya S, Masuda N, Kawamura Y, Nagaoka M, Matsukage T, Ogata N, Nakazawa G, Tanabe T, **Ikari Y**. Intravascular ultrasound criteria for

- determination of optimal longitudinal positioning of sirolimus-eluting stents. *Circ J* 2010;74:1609-16.
113. Mori K, **Ikari Y**, Jono S, Shioi A, Ishimura E, Emoto M, Inaba M, Hara K, Nishizawa Y. Association of serum TRAIL level with coronary artery disease. *Thromb Res* 2010;125:322-5.
 114. Mori K, **Ikari Y**, Jono S, Emoto M, Shioi A, Koyama H, Shoji T, Ishimura E, Inaba M, Hara K, Nishizawa Y. Fetuin-A is associated with calcified coronary artery disease. *Coron Artery Dis* 2010;21:281-5.
 115. Matsukage T, Masutani M, Yoshimachi F, Takahashi A, Katsuki T, Saito S, Terai H, Katahira Y, Uehara Y, Tohara S, Ohba Y, Shinohara S, Asano H, Matsumura T, Hata T, **Ikari Y**. A prospective multicenter registry of 0.010-inch guidewire and compatible system for chronic total occlusion: the PIKACHU registry. *Catheter Cardiovasc Interv* 2010;75:1006-12.
 116. Masuda N, Matsukage T, Ogata N, Morino Y, Tanabe T, **Ikari Y**. Analysis of peripheral arterial bends that interfere with coronary catheterization. *J Invasive Cardiol* 2010;22:197-203.
 117. Jono S, Otsuki S, Higashikuni Y, Shioi A, Mori K, Hara K, Hashimoto H, **Ikari Y**. Serum osteoprotegerin levels and long-term prognosis in subjects with stable coronary artery disease. *J Thromb Haemost* 2010;8:1170-5.
 118. **Ikari Y**. [Treatment of coronary artery calcification]. *Clin Calcium* 2010;20:1729-35.
 119. Fujii T, Masuda N, Toda E, Shima M, Tamiya S, Ito D, Matsukage T, Ogata N, Morino Y, Tanabe T, **Ikari Y**. Analysis of right radial artery for transradial catheterization by quantitative angiography--anatomical consideration of optimal radial puncture point. *J Invasive Cardiol* 2010;22:372-6.
 120. Fujii T, Masuda N, Tamiya S, Shima M, Toda E, Ito D, Nakazawa G, Matsukage T, Ogata N, Morino Y, Tanabe T, **Ikari Y**. Angiographic evaluation of right upper-limb arterial anomalies: implications for transradial coronary interventions. *J Invasive Cardiol* 2010;22:536-40.
 121. Amino M, Yoshioka K, Fujibayashi D, Hashida T, Furusawa Y, Zareba W, **Ikari Y**, Tanaka E, Mori H, Inokuchi S, Kodama I, Tanabe T. Year-long upregulation of connexin43 in rabbit hearts by heavy ion irradiation. *Am J Physiol Heart Circ Physiol* 2010;298:H1014-21.
 122. Adachi K, Tanabe T, Toda E, Shima M, Tamiya S, Fujii K, Kanda S, Amino M, Yoshikawa K, **Ikari Y**. Atrial fibrillation induced by applying acetylcholine to subadventitial layer of pulmonary vein in normal canine heart. *Tokai J Exp Clin Med* 2010;35:1-12.

123. Takeuchi H, Morino Y, Matsukage T, Masuda N, Kawamura Y, Kasai S, Hashida T, Fujibayashi D, Tanabe T, **Ikari Y**. Impact of vascular remodeling on the coronary plaque compositions: an investigation with in vivo tissue characterization using integrated backscatter-intravascular ultrasound. *Atherosclerosis* 2009;202:476-82.
124. Mori K, **Ikari Y**, Jono S, Shioi A, Ishimura E, Emoto M, Inaba M, Hara K, Nishizawa Y. Association of serum TRAIL level with coronary artery disease. *Thromb Res* 2009.
125. Matsukage T, Yoshimachi F, Masutani M, Saito S, Nakazawa G, Masuda N, Ogata N, Morino Y, **Ikari Y**. Virtual 3 Fr PCI system for complex percutaneous coronary intervention. *EuroIntervention* 2009;5:515-7.
126. Matsukage T, Yoshimachi F, Masutani M, Katsuki T, Saito S, Takahashi A, Iida K, Katahira Y, Michishita I, Tanabe K, Kan Y, **Ikari Y**. A new 0.010-inch guidewire and compatible balloon catheter system: the IKATEN registry. *Catheter Cardiovasc Interv* 2009;73:605-10.
127. **Ikari Y**, Masuda N, Matsukage T, Ogata N, Nakazawa G, Tanabe T, Morino Y. Backup force of guiding catheters for the right coronary artery in transfemoral and transradial interventions. *J Invasive Cardiol* 2009;21:570-4.
128. **Ikari Y**, Kotani J, Kozuma K, Kyo E, Nakamura M, Yokoi H. Assessment of sirolimus-eluting coronary stent implantation with aspirin plus low dose ticlopidine administration: one year results from CYPHER Stent Japan Post-Marketing Surveillance Registry (J-PMS). *Circ J* 2009;73:1038-44.
129. **Ikari Y**. Transradial coronary intervention as the primary approach for acute myocardial infarction. *Circ J* 2009;73:2011-2.
130. Amino M, Yoshioka K, Morita S, Yamagiwa T, Otsuka H, Akieda K, Iizuka S, Kanda S, **Ikari Y**, Nasu S, Hatakeyama K, Kodama I, Inokuchi S, Tanabe T. Two cases in which myocardial injury could be only evaluated by nuclear medicine studies on electric shock patients whose electrocardiogram and myocardial enzyme levels were normal. *J Trauma* 2009;66:666-71.
131. Amino M, Yoshioka K, Morita S, Iizuka S, Otsuka H, Yamamoto R, Aoki H, Aizawa T, **Ikari Y**, Nasu S, Hatakeyama K, Iino M, Kodama I, Inokuchi S, Tanabe T. One-year follow-up and convalescence evaluated by nuclear medicine studies and 24-hour holter electrocardiogram in 11 patients with myocardial injury due to a blunt chest trauma. *J Trauma* 2009;66:1308-10.
132. Yoshimachi F, **Ikari Y**, Matsukage T, Masutani M, Mori Y, Saito S, Okumura K. A novel method of PercuSurge distal protection in a five French guiding catheter without an Export aspiration catheter. *J Invasive Cardiol* 2008;20:168-72.

133. Suzuki S, Furui S, Isshiki T, Kozuma K, Koyama Y, Yamamoto H, Ochiai M, Asakura Y, **Ikari Y**. Patients' skin dose during percutaneous coronary intervention for chronic total occlusion. *Catheter Cardiovasc Interv* 2008;71:160-4.
134. Morino Y, Yamamoto H, Mitsudo K, Nagaoka M, Takeuchi H, Okamoto N, Kozuma K, Matsuzaki A, Tanabe K, Hara K, Tanabe T, **Ikari Y**. Functional formula to determine adequate balloon diameter of simultaneous kissing balloon technique for treatment of bifurcated coronary lesions: clinical validation by volumetric intravascular ultrasound analysis. *Circ J* 2008;72:886-92.
135. Matsukage T, Masuda N, **Ikari Y**. Simultaneous triple-balloon inflation technique within a 6 Fr guiding catheter for a trifurcation lesion. *J Invasive Cardiol* 2008;20:E210-4.
136. Masutani M, Yoshimachi F, Matsukage T, **Ikari Y**, Saito S. Use of slender catheters for transradial angiography and interventions. *Indian Heart J* 2008;60:A22-6.
137. **Ikari Y**, Sakurada M, Kozuma K, Kawano S, Katsuki T, Kimura K, Suzuki T, Yamashita T, Takizawa A, Misumi K, Hashimoto H, Isshiki T. Upfront thrombus aspiration in primary coronary intervention for patients with ST-segment elevation acute myocardial infarction: report of the VAMPIRE (VAcuum asPIration thrombus REmoval) trial. *JACC Cardiovasc Interv* 2008;1:424-31.
138. Fujibayashi D, Morino Y, **Ikari Y**. A case of acute myocardial infarction due to coronary spasm in the myocardial bridge. *J Invasive Cardiol* 2008;20:E217-9.
139. Yoshimachi F, Masutani M, Matsukage T, Saito S, **Ikari Y**. Kissing balloon technique within a 5 Fr guiding catheter using 0.010 inch guidewires and 0.010 inch guidewire-compatible balloons. *J Invasive Cardiol* 2007;19:519-24.
140. Takeuchi H, Morino Y, Fujibayashi D, Hashida T, Kawamura Y, Tsumuraya N, Okamoto N, Nagaoka M, **Ikari Y**, Tanabe T. [Frequency and characteristics of incomplete stent apposition during and after sirolimus-eluting stent implantation]. *J Cardiol* 2007;50:111-8.
141. Sugimoto A, Morino Y, **Ikari Y**. Stent implantation for diffuse and multiple coronary spasm in a patient with variant angina refractory to optimal medical therapy. *J Invasive Cardiol* 2007;19:E320-3.
142. **Ikari Y**. [Treatment for coronary artery calcification]. *Clin Calcium* 2007;17:381-5.
143. Amino M, Yoshioka K, Morita S, Otsuka H, Yamagiwa T, Umezawa K, Nakagawa Y, Yamamoto I, Hashida T, **Ikari Y**, Inokuchi S, Kodama I, Tanabe T. Is the combination therapy of IKr-channel blocker and left stellate ganglion

- block effective for intractable ventricular arrhythmia in a cardiopulmonary arrest patient? *Cardiol J* 2007;14:355-65.
144. Yoshioka K, Amino M, Usui K, Sugimoto A, Matsuzaki A, Kohzuma K, Kanda S, Deguchi Y, **Ikari Y**, Kodama I, Tanabe T. Nifekalant hydrochloride administration during cardiopulmonary resuscitation improves the transmural dispersion of myocardial repolarization: experimental study in a canine model of cardiopulmonary arrest. *Circ J* 2006;70:1200-7.
 145. Yoshioka K, Amino M, Morita S, Nakagawa Y, Usui K, Sugimoto A, Matsuzaki A, Deguchi Y, Yamamoto I, Inokuchi S, **Ikari Y**, Kodama I, Tanabe T. Can nifekalant hydrochloride be used as a first-line drug for cardiopulmonary arrest (CPA)? : comparative study of out-of-hospital CPA with acidosis and in-hospital CPA without acidosis. *Circ J* 2006;70:21-7.
 146. Takeuchi H, Morino Y, Sugimoto A, **Ikari Y**, Tanabe T. [Mobile mass attached to the tricuspid valve]. *J Cardiol* 2006;47:215-7.
 147. Morino Y, Iino M, Fujibayashi D, Kawamura Y, **Ikari Y**. Magnetic resonance imaging of acute myocardial infarction. *J Cardiol* 2006;48:115-8.
 148. Miyazawa A, **Ikari Y**, Tanabe K, Nakajima H, Aoki J, Iijima R, Nakayama T, Hatori M, Nakazawa G, Tanimoto S, Onuma Y, Hara K. Intracoronary nicorandil prior to reperfusion in acute myocardial infarction. *EuroIntervention* 2006;2:211-7.
 149. Jono S, Shioi A, **Ikari Y**, Nishizawa Y. Vascular calcification in chronic kidney disease. *J Bone Miner Metab* 2006;24:176-81.
 150. Fusegawa Y, Hashizume H, Okumura T, Deguchi Y, Shina Y, **Ikari Y**, Tanabe T. Hypertensive patients with carotid artery plaque exhibit increased platelet aggregability. *Thromb Res* 2006;117:615-22.
 151. Fujikura H, Hata Y, Morino Y, Matsuzaki A, Oikawa K, **Ikari Y**, Taguchi J. Images in cardiovascular medicine. Acute coronary syndrome due to intramural hematoma. *Circulation* 2006;114:e644-5.
 152. Amiya E, Tanabe K, **Ikari Y**, Nakajima Y, Hara K. Prolonged QRS duration and severity of mitral regurgitation are unfavorable prognostic markers of heart failure in patients with nonischemic dilated cardiomyopathy. *Circ J* 2006;70:57-62.
 153. Tanimoto S, **Ikari Y**, Tanabe K, Yachi S, Nakajima H, Nakayama T, Hatori M, Nakazawa G, Onuma Y, Higashikuni Y, Yamamoto H, Tooda E, Hara K. Prevalence of carotid artery stenosis in patients with coronary artery disease in Japanese population. *Stroke* 2005;36:2094-8.
 154. Nakajima H, **Ikari Y**, Kigawa I, Kitamura T, Hatori M, Tooda E, Tanabe K,

- Miyairi T, Hara K. Rapid diagnosis and management of intraoperative myocardial infarction during valvular surgery: using intraoperative transesophageal echocardiography followed by emergency coronary artery bypass grafting without coronary angiography. *Echocardiography* 2005;22:834-8.
155. **Ikari Y**, Tanabe K. [Diagnosis and Intervention for calcified coronary artery disease--role of multi-slice CT]. *Clin Calcium* 2005;15:143-8.
 156. **Ikari Y**, Nagaoka M, Kim JY, Morino Y, Tanabe T. The physics of guiding catheters for the left coronary artery in transfemoral and transradial interventions. *J Invasive Cardiol* 2005;17:636-41.
 157. Iijima R, **Ikari Y**, Amiya E, Tanimoto S, Nakazawa G, Kyono H, Hatori M, Miyazawa A, Nakayama T, Aoki J, Nakajima H, Hara K. The impact of metallic allergy on stent implantation: metal allergy and recurrence of in-stent restenosis. *Int J Cardiol* 2005;104:319-25.
 158. Aoki J, **Ikari Y**, Nakajima H, Mori M, Sugimoto T, Hatori M, Tanimoto S, Amiya E, Hara K. Clinical and pathologic characteristics of dilated cardiomyopathy in hemodialysis patients. *Kidney Int* 2005;67:333-40.
 159. Amiya E, Tanabe K, **Ikari Y**, Hara K. Carotid sinus hypersensitivity as the initial manifestation of Takayasu arteritis. *Intern Med J* 2005;35:683-4.
 160. Sakurada M, **Ikari Y**, Isshiki T. Improved performance of a new thrombus aspiration catheter: outcomes from in vitro experiments and a case presentation. *Catheter Cardiovasc Interv* 2004;63:299-306.
 161. Jono S, **Ikari Y**, Vermeer C, Dissel P, Hasegawa K, Shioi A, Taniwaki H, Kizu A, Nishizawa Y, Saito S. Matrix Gla protein is associated with coronary artery calcification as assessed by electron-beam computed tomography. *Thromb Haemost* 2004;91:790-4.
 162. **Ikari Y**, Nakajima H, Iijima R, Aoki J, Tanabe K, Nakayama T, Miyazawa A, Hatori M, Kyouno H, Tanimoto S, Amiya E, Nakazawa G, Onuma Y, Hara K. Initial characterization of Ikari Guide catheter for transradial coronary intervention. *J Invasive Cardiol* 2004;16:65-8.
 163. **Ikari Y**. [Treatment of coronary artery disease in hemodialysis patients]. *Clin Calcium* 2004;14:131-5.
 164. Iijima R, **Ikari Y**, Wada M, Shiba M, Nakamura M, Hara K. Cutting balloon angioplasty is superior to balloon angioplasty or stent implantation for small coronary artery disease. *Coron Artery Dis* 2004;15:435-40.
 165. Iijima R, **Ikari Y**, Tsunoda T, Nakamura M, Hara K, Yamaguchi T. Impact of intima re-intrusion and expansion within 100 minutes on late lumen loss in

- percutaneous coronary intervention for diffuse in-stent restenosis. *Heart* 2004;90:1071-2.
166. **Ikari Y**, Hashimoto H, Nakajima H, Hara K. Serum concentration of alpha1-proteinase inhibitor and alpha2-macroglobulin correlates with late lumen loss following coronary stent implantation. *J Thromb Haemost* 2003;1:193-4.
 167. Iijima R, **Ikari Y**, Anzai H, Nishida T, Tsunoda T, Nakamura M, Hara K, Yamaguchi T. The impact of cutting balloon angioplasty for the treatment of diffuse in-stent restenosis. *J Invasive Cardiol* 2003;15:427-31.
 168. Aoki J, **Ikari Y**, Sugimoto T, Fukuda S, Hara K. Clinical outcome of percutaneous transluminal coronary rotational atherectomy in patients with end-stage renal disease. *Circ J* 2003;67:617-21.
 169. Ako J, **Ikari Y**, Hatori M, Hara K, Ouchi Y. Changing spectrum of infective endocarditis: review of 194 episodes over 20 years. *Circ J* 2003;67:3-7.
 170. Tsuji T, **Ikari Y**, Tamura T, Wanibuchi Y, Hara K. Pathologic analysis of restenosis following percutaneous transluminal mitral commissurotomy. *Catheter Cardiovasc Interv* 2002;57:205-10.
 171. Jono S, **Ikari Y**, Shioi A, Mori K, Miki T, Hara K, Nishizawa Y. Serum osteoprotegerin levels are associated with the presence and severity of coronary artery disease. *Circulation* 2002;106:1192-4.
 172. **Ikari Y**. [Coronary artery calcification, diagnosis and treatment]. *Clin Calcium* 2002;12:1118-22.
 173. Chung IM, Gold HK, Schwartz SM, **Ikari Y**, Reidy MA, Wight TN. Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment. *J Am Coll Cardiol* 2002;40:2072-81.
 174. Aoki J, **Ikari Y**, Nakajima H, Sugimoto T, Hara K. Coronary revascularization improves long-term prognosis in diabetic and nondiabetic end-stage renal disease. *Circ J* 2002;66:595-9.
 175. Yee KO, **Ikari Y**, Schwartz SM. An update of the Grutzbalg hypothesis: the role of thrombosis and coagulation in atherosclerotic progression. *Thromb Haemost* 2001;85:207-17.
 176. Kuroda Y, Hara K, Nakajima H, **Ikari Y**. Short-term outcome of stent implantation in saphenous vein grafts: predictors of distal embolization and restenosis. *Jpn Circ J* 2001;65:265-70.
 177. Kozuma K, Hara K, Yamasaki M, Morino Y, Ayabe S, Kuroda Y, Tanabe K, **Ikari Y**, Tamura T. Effects of cilostazol on late lumen loss and repeat revascularization after Palmaz-Schatz coronary stent implantation. *Am Heart J* 2001;141:124-30.

178. **Ikari Y**, Mulvihill E, Schwartz SM. alpha 1-Proteinase inhibitor, alpha 1-antichymotrypsin, and alpha 2-macroglobulin are the antiapoptotic factors of vascular smooth muscle cells. *J Biol Chem* 2001;276:11798-803.
179. Yee KO, **Ikari Y**, Bodary S, Schwartz SM. Kistrin inhibits human smooth muscle cell interaction with fibrin. *Thromb Res* 2000;97:39-50.
180. Ochiai M, **Ikari Y**, Yamaguchi T, Isshiki T, Koyama Y, Eto K, Takeshita S, Tamura T, Sato T. New long-tip guiding catheters designed for right transradial coronary intervention. *Catheter Cardiovasc Interv* 2000;49:218-24.
181. Morino Y, Hara K, Ushikoshi H, Tanabe K, Kuroda Y, Noguchi T, Ayabe S, Hara H, Yanbe Y, Kozuma K, **Ikari Y**, Saeki F, Tamura T. [Gamma-interferon-induced cardiomyopathy during treatment of renal cell carcinoma: a case report]. *J Cardiol* 2000;36:49-57.
182. **Ikari Y**, Yee KO, Schwartz SM. Role of alpha5beta1 and alphavbeta3 integrins on smooth muscle cell spreading and migration in fibrin gels. *Thromb Haemost* 2000;84:701-5.
183. **Ikari Y**, Yee KO, Hatsukami TS, Schwartz SM. Human carotid artery smooth muscle cells rarely express alpha(v)beta3 integrin at sites of recent plaque rupture. *Thromb Haemost* 2000;84:338-44.
184. **Ikari Y**, Fujikawa K, Yee KO, Schwartz SM. Alpha(1)-proteinase inhibitor, alpha(1)-antichymotrypsin, or alpha(2)-macroglobulin is required for vascular smooth muscle cell spreading in three-dimensional fibrin gel. *J Biol Chem* 2000;275:12799-805.
185. Ishizaka N, Taguchi J, Kimura Y, **Ikari Y**, Aizawa T, Togo M, Miki K, Kurokawa K, Ohno M. Effects of a single local administration of cilostazol on neointimal formation in balloon-injured rat carotid artery. *Atherosclerosis* 1999;142:41-6.
186. **Ikari Y**, McManus BM, Kenyon J, Schwartz SM. Neonatal intima formation in the human coronary artery. *Arterioscler Thromb Vasc Biol* 1999;19:2036-40.
187. Yamasaki M, Hara K, **Ikari Y**, Kobayashi N, Kozuma K, Ohmoto Y, Oh-Hashi Y, Ako J, Nakajima H, Chiku N, Saeki F, Tamura T. Effects of cilostazol on late lumen loss after Palmaz-Schatz stent implantation. *Cathet Cardiovasc Diagn* 1998;44:387-91.
188. **Ikari Y**, Ochiai M, Hangaishi M, Ohno M, Taguchi J, Hara K, Isshiki T, Tamura T, Yamaguchi T. Novel guide catheter for left coronary intervention via a right upper limb approach. *Cathet Cardiovasc Diagn* 1998;44:244-7.
189. Hangaishi M, Taguchi J, Miyata T, **Ikari Y**, Togo M, Hashimoto Y, Watanabe T, Kimura S, Kurokawa K, Ohno M. Increased aggregation of human platelets

- produced by advanced glycation end products in vitro. *Biochem Biophys Res Commun* 1998;248:285-92.
190. Hangaishi M, Taguchi J, **Ikari Y**, Ohno M, Kurokawa K, Kotsuka Y, Furuse A. Aortic valve stenosis in alkaptonuria. *Images in cardiovascular medicine*. *Circulation* 1998;98:1148-9.
 191. Abe J, Deguchi J, Takuwa Y, Hara K, **Ikari Y**, Tamura T, Ohno M, Kurokawa K. Tyrosine phosphorylation of platelet derived growth factor beta receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris. *Heart* 1998;79:400-6.
 192. Ishiki R, Hara K, **Ikari Y**, Yamasaki M, Yamaguchi T, Tamura T. Patency of intermediate size side branches after Palmaz-Schatz stent implantation. *Jpn Heart J* 1997;38:191-7.
 193. Hara K, **Ikari Y**, Tamura T, Yamaguchi T. Transluminal extraction atherectomy for restenosis following Palmaz-Schatz stent implantation. *Am J Cardiol* 1997;79:801-2.
 194. Shiojima I, **Ikari Y**, Abe J, Ishizaka N, Maemura K, Kurihara H, Isshiki TA, Suma H, Saeki H, Hara K, Tamura T, Yamaguchi T. Thrombotic occlusion of the coronary artery associated with accidental detachment of undeployed Palmaz-Schatz stent. *Cathet Cardiovasc Diagn* 1996;38:360-2.
 195. Ohmoto Y, **Ikari Y**, Hara K. Aortic dissection during directional coronary atherectomy. *Int J Cardiol* 1996;55:289-91.
 196. Ishizaka N, Ishizaka Y, **Ikari Y**, Tamura T, Suma H, Yamaguchi T. Prolonged luminal narrowing of internal mammary artery graft after percutaneous transluminal angioplasty. *Angiology* 1996;47:735-8.
 197. Hashimoto H, Tamura T, **Ikari Y**, Hara K, Saeki F, Isshiki T, Yamaguchi T, Wanibuchi Y, Furuta S. Comparison of aortic valve replacement and percutaneous aortic balloon valvuloplasty for elderly patients with aortic stenosis. *Jpn Circ J* 1996;60:142-8.
 198. Hashimoto H, Isshiki T, **Ikari Y**, Hara K, Saeki F, Tamura T, Yamaguchi T, Suma H. Effects of competitive blood flow on arterial graft patency and diameter. Medium-term postoperative follow-up. *J Thorac Cardiovasc Surg* 1996;111:399-407.
 199. Somitsu Y, **Ikari Y**, Ui K, Nakamura M, Hara K, Saeki F, Degawa T, Tamura T, Yabuki S, Yamaguchi T. Elastic recoil following percutaneous transluminal coronary angioplasty and Palmaz-Schatz stent implantation. *J Invasive Cardiol* 1995;7:165-72.
 200. Ishizaka N, Ishizaka Y, **Ikari Y**, Isshiki T, Tamura T, Suma H, Yamaguchi T.

- Initial and subsequent angiographic outcome of percutaneous transluminal angioplasty performed on internal mammary artery grafts. *Br Heart J* 1995;74:615-9.
201. Ishizaka N, **Ikari Y**, Saeki F, Ishizaka Y, Tamura T, Yamaguchi T, Suma H, Ibukuro K. Repeat embolization of the side branch of the internal mammary artery graft by gelatin sponge particles and micro coils. *Cathet Cardiovasc Diagn* 1995;34:245-9; discussion 250.
 202. **Ikari Y**, Hara K, Tamura T, Saeki F, Yamaguchi T. Luminal loss and site of restenosis after Palmaz-Schatz coronary stent implantation. *Am J Cardiol* 1995;76:117-20.
 203. **Ikari Y**, Hara K, Tamura T, Hara H, Saeki F, Kikawa I, Wanibuchi Y, Yamaguchi T. Intracoronary stenting of a coronary occlusion resulting from an aortic dissection. *Cathet Cardiovasc Diagn* 1995;36:160-3.
 204. Hashimoto H, Isshiki T, **Ikari Y**, Hara K, Saeki F, Tamura T, Yamaguchi T, Suma H. A dual blood supply protects the right gastroepiploic arterial graft: report of two cases. *Cathet Cardiovasc Diagn* 1995;34:227-30.
 205. Hara K, **Ikari Y**, Yamasaki M, Saeki F, Tamura T, Yamaguchi T. Short-term outcome and long-term follow-up of percutaneous coronary intervention in patients aged 40 years or younger. *Jpn Circ J* 1995;59:323-8.
 206. Somitsu Y, Yamaguchi T, Ishiki R, **Ikari Y**, Furuta Y, Hara K, Saeki F, Tamura T, Wanibuchi Y, Suma H. [Outcome of coronary angioplasty and coronary artery bypass grafting in patients over 75 years old]. *J Cardiol* 1994;24:271-7.
 207. Ishizaka N, Issiki T, Saeki F, Ishizaka Y, **Ikari Y**, Abe J, Soumitsu Y, Hashimoto H, Masaki K, Yamaguchi T. Angiographic follow-up after successful percutaneous coronary angioplasty for chronic total coronary occlusion: experience in 110 consecutive patients. *Am Heart J* 1994;127:8-12.
 208. Ishizaka N, Issiki T, Saeki F, Furuta Y, **Ikari Y**, Yamaguchi T. Predictors of myocardial infarction after distal embolization of coronary vessels with percutaneous transluminal coronary angioplasty. Experience of 21 consecutive patients with distal embolization. *Cardiology* 1994;84:298-304.
 209. Ishizaka N, Ishizaka Y, **Ikari Y**, Tamura T, Yamaguchi T. Risk factors for the development of post-lab acute coronary occlusion following successful percutaneous transluminal angioplasty. *Jpn Circ J* 1994;58:750-6.
 210. Ishizaka N, **Ikari Y**, Hara K, Saeki F, Ishizaka Y, Degawa T, Nakamura M, Sakatani H, Tamura T, Yamaguchi T. Angiographic follow-up of patients after transluminal coronary extraction atherectomy. *Am Heart J* 1994;128:691-6.
 211. **Ikari Y**, Tamura T. [Aggressive revascularization for patients with impending

- myocardial infarction]. *Nippon Rinsho* 1994;52 Suppl:374-8.
212. Hara K, Kashida M, Tamura T, Saeki F, **Ikari Y**, Suma H. Diffuse spasm of a free gastroepiploic artery graft during percutaneous balloon angioplasty. *Cathet Cardiovasc Diagn* 1994;33:136-8.
 213. Isshiki T, Yamaguchi T, Tamura T, Saeki F, Furuta Y, **Ikari Y**, Chiku N, Suma H. Percutaneous angioplasty of stenosed gastroepiploic artery grafts. *J Am Coll Cardiol* 1993;22:727-32.
 214. Imai Y, Taniguchi M, Tagawa K, Toda N, Tanzawa Y, Okamoto M, **Ikari Y**, Fujino H, Unuma T. A case of chronic pancreatitis complicated by massive pericardial and right pleural effusion. *Gastroenterol Jpn* 1993;28:734-8.
 215. **Ikari Y**, Yamaguchi T, Tamura T, Isshiki T, Saeki F, Hara K. Transluminal extraction atherectomy and adjunctive balloon angioplasty for restenosis after Palmaz-Schatz coronary stent implantation. *Cathet Cardiovasc Diagn* 1993;30:127-30.
 216. Yamaguchi T, **Ikari Y**, Saeki F, Isshiki T. Coronary angiographic findings and in-hospital outcome of aggressive treatment in impending myocardial infarction. *Jpn Circ J* 1992;56:1172-9.
 217. Takeshita S, Yamaguchi T, Isshiki T, **Ikari Y**, Maemura K, Furuta Y, Nagahara T, Suma H, Wanibuchi Y, Furuta S. [Percutaneous transluminal coronary angioplasty and coronary bypass grafting for refractory angina in chronic dialysis patients]. *J Cardiol* 1992;22:383-90.
 218. **Ikari Y**, Kuwako K, Yamaguchi T. Fabry's disease with complete atrioventricular block: histological evidence of involvement of the conduction system. *Br Heart J* 1992;68:323-5.
 219. Nagao Y, Nakashima H, Fukuhara Y, Shimmoto M, Oshima A, **Ikari Y**, Mori Y, Sakuraba H, Suzuki Y. Hypertrophic cardiomyopathy in late-onset variant of Fabry disease with high residual activity of alpha-galactosidase A. *Clin Genet* 1991;39:233-7.
 220. **Ikari Y**, Yamaguchi T, Furuta Y, Itaoka Y, Kashida M, Isshiki T, Kuwako K, Tohda E, Toide H. [Long-term prognosis in patients with echocardiographic left ventricular dysfunction masquerading as dilated cardiomyopathy]. *J Cardiol* 1991;21:337-46.
 221. Isshiki T, Yamaguchi T, Nakamura M, Saeki F, Itaoka Y, Nagahara T, Furuta Y, **Ikari Y**, Wanibuchi Y, Suma H. Postoperative angiographic evaluation of gastroepiploic artery grafts: technical considerations and short-term patency. *Cathet Cardiovasc Diagn* 1990;21:233-8.